

Labour/Birth Encounter



Patient Label Here

ADMISSION TAB

DEMOGRAPHICS: Per patient label *or*

Family Name: _____

Given Name: _____

Maternal Date of Birth: dd / mm / yyyy

Chart Number/Client ID: _____ OHIP: _____

Address: _____

Postal Code: _____ Phone: _____

No Fixed Address

Estimated Date of Birth (EDB): dd / mm / yyyy

Primary Language: *(Select One)*

English French Unknown

Other (specify): _____

MATERNAL ADMISSION TO HOSPITAL

Admission date: dd / mm / yyyy Admission Time: _____

Admission by Healthcare Provider: *(Select One)*

Obstetrician Family Physician Midwife

Nurse Practitioner (APN/CNS) Other

Maternal Transfer from: *(Select One)*

No transfer Hospital Planned Home or Clinic Birth

Nursing station Birthing Center

Other unit same hospital Other

IF TRANSFER:

Maternal Transfer from Hospital (name):

Maternal transfer from Birth Centre (name):

Reason for Maternal Transfer From: *(Select One)*

Fetal health concern Lack of nursing coverage

Lack of physician coverage

Maternal medical/obstetrical problem

No beds available Organization evacuation

Birth outside of hospital prior to admission

Other Unknown

Labour/Birth Encounter

HISTORY TAB

Pre-existing Health Conditions (Outside of Pregnancy):

(List All) _____

Mental Health Concerns: (Select All That Apply)

- None Anxiety Depression
 History of Postpartum Depression Addiction Bipolar
 Schizophrenia Other Unknown

Domestic/Intimate Partner Violence: (Select One)

- No Disclosure Disclosure Unable to ask

Obstetrical History: Gravida (G): _____

of Previous Term Pregnancies (T): _____

of Previous Preterm Pregnancies (P): _____

of Previous Abortions (A): _____

of Living Children (L): _____

of Previous Stillbirths (S): _____

of Previous Vaginal Births: _____

of Previous C/S Births: _____

of Previous VBACs: _____

Parity: Auto calculates

PREGNANCY TAB

Maternal Height: _____ (in, ft & in, cm) Unknown

Pre-pregnancy weight: _____ (lb/kg) Unknown

Pre-pregnancy BMI: *Calculates*

Maternal Weight at end of Pregnancy: _____ (lb/kg)

Unknown Declined weight check

Maternal Weight Gain at end of Pregnancy: *Calculates*

.....

Number of Fetuses: _____

Is the pregnant person a gestational carrier? (Select One)

- Yes No Unknown

Estimated Date of Birth (EDB): dd / mm / yyyy

Conception type: (Select One)

- Spontaneous
 Intrauterine Insemination alone
 Intrauterine Insemination (IUI) with ovulation induction but no IVF
 Ovulation induction without IVF (i.e. Clomid, FSH)
 IVF Vaginal insemination Unknown
-

Labour/Birth Encounter

EDB determined by: *(Select One)*

- Last Menstrual Period
- First trimester dating ultrasound
- Second trimester ultrasound
- Assisted reproductive technology
- Obstetrical clinical estimate (includes S-F height)
- Unknown

First Trimester Visit: *(Select One)* Yes No Unknown

Antenatal Health Care Provider: None

- Obstetrician Family Physician Midwife Nurse
- Nurse Practitioner (APN/CNS) Other Unknown

Prenatal Education: *(Select One)*

- Yes - In-person prenatal education only
- Yes - Online prenatal education only
- Yes - Combination of in-person and online prenatal education
- Yes - Unknown method of education delivery
- No - Patient/client did not receive prenatal education
- Unknown if patient/client received prenatal education

Was prenatal genetic screening offered, as indicated on the OPR?: *(Select One)*

- Yes, screening was offered
- No, screening was not offered
- Counselling and declined screening
- Unknown if screening was offered – no access to the OPR
- Unknown if screening was offered – other reason

Folic Acid Use: *(Select One)* None Pre-conception only

- During pregnancy only
- Pre-conception and during pregnancy Unknown

Intention to Breastfeed: *(Select One)*

- Yes, intends to exclusively breastfeed
- Yes, intends to combination feed (use breast milk and breast milk substitute)
- No, does not intend to breastfeed
- Mother unsure Unknown, intent not collected

Smoking at First Trimester Visit: *(Select One)*

- None < 10 cigarettes/day 10-20/day
- >20/day Amount unknown Unknown

Resides with smoker at first trimester visit: *(Select One)*

- Yes No Unknown

Labour/Birth Encounter

Smoking at time of labour/admission: *(Select One)*

- None < 10 cigarettes/day 10-20/day
 >20/day Amount unknown Unknown

Resides with smoker at time of labour/admission:

(Select One) Yes No Unknown

Alcohol Exposure in Pregnancy: *(Select One)*

- None
 < 1 drink/month 1 drink/month
 2-3 drinks/month 1 drink/week
 More than 1 drink/week
 Episodic excessive drinking (binging)
 Exposure prior to pregnancy confirmed, amount unknown
 Unknown

Cannabis Exposure in Pregnancy: *(Select One)*

- Never Less than 1 day per month
 1 day per month 2-3 days per month
 1-2 days per week 3-4 days per week
 5-6 days per week Daily
 Some use, but frequency unknown Usage unknown

Drug and Substance Exposure in Pregnancy:

- (Select All That Apply)* None Amphetamines
 Cocaine Gas/Glue Hallucinogens Opioids
 Other Unknown

ANTENATAL EXPOSURE TO MEDICATION:

(Select All That Apply) None

OTC/Vitamins/Homeopathic:

- Prenatal Vitamins (including folic acid)
 Probiotics Iron Supplements
 Anti-emetics (OTC) Antihistamines (OTC)
 Herbal or homeopathic remedies
 Other over the counter medications

Prescribed Medications:

- Amphetamines Antibiotics (NOT for GBS prophylaxis)
 Anticonvulsants (NOT for preeclampsia)
 Anti-emetics Antihistamines Antihypertensives
 Anti-inflammatory Antiretrovirals
 Anti-rheumatic Antiviral Cardiovascular
 Chemotherapeutic Agents
 Gastrointestinal Agents / Proton Pump Inhibitors / H2 blockers
 General anaesthetic Insulin Metformin Opioids

Labour/Birth Encounter

Opioid Agonist Therapy:

- Methadone Buprenorphine monoprodukt (Subutex)
- Buprenorphine – naloxone (Suboxone)
- Slow-release morphine for opioid use disorder

Other Medications:

- Psychotropics Selective Serotonin Reuptake Inhibitors
- Thyroid medications Other prescription
- Unknown prescription or OTC exposure

INFECTION & PREGNANCY: *(Select All That Apply)*

- None C-Difficile Chlamydia Covid-19 Gonorrhea
- Group B Streptococcus (bacteriuria) Hepatitis A
- Hepatitis B Hepatitis C Herpes Simplex Virus HIV
- HPV Seasonal Influenza Syphilis Trichomonas
- Methicillin-resistant staphylococcus aureus (MRSA)
- Suspected Chorioamnionitis Urinary Tract Infection (UTI)
- Viruses-other Other infections Unknown

If Yes To Covid Infection:

Date of positive COVID-19 Diagnosis: dd/mm/yyyy

Was the patient hospitalized due to COVID-19 specifically?

- Yes No Unknown

GBS Screening Results (35–37 wks): *(Select One)*

- Not Done Done, negative result Done, positive result
- Done, result unknown Unknown if screened

GBS Screening Date (if done): dd/mm/yyyy

Reason GBS Screening Not Done: *(Select One)*

- Previous baby with GBS disease
- Previous GBS screening done in this pregnancy
- Urine positive for GBS Declined Screening
- Other Unknown

Progesterone taken daily for spontaneous preterm birth prevention, any time after 16 weeks gestation:

- Yes No Unknown

(Do NOT include if progesterone is used only in first trimester)

ASA (aspirin) taken daily for preeclampsia prevention, any time after 12 weeks' gestation: Yes No Unknown

(Do NOT include if aspirin is used only in first trimester)

Labour/Birth Encounter

BLOOD TYPING AND IMMUNOGLOBULIN

Blood group and type of pregnant individual, ABO/Rh(D):

(Select One) Not collected/unknown

O+ O- A+ A- B+ B- AB+ AB-

What was the antibody screen result?:

Negative Positive Unknown

For Rh(D) negative patients, was Rh(D) immunoglobulin (RhIG/Rhogam/WinRho) given in pregnancy?:

No Yes, 1 dose Yes, 2 doses

Yes, 3 or more doses

Yes, number of doses unknown

Unknown

Date of Rh(D) Immunoglobulin Dose

(latest prior to birth): dd/mm/yyyy

DIABETES AND PREGNANCY: (Select One)

None Gestational - Insulin Gestational - No Insulin

Gestational - Insulin status unknown Type 1

Type 2 Insulin Type 2 No Insulin

Type 2 Insulin Usage Unknown Type Unknown

Declined Testing Unknown

HYPERTENSIVE DISORDERS OF PREGNANCY: (Select One)

None Gestational Hypertension Preeclampsia

Pre-existing Hypertension with superimposed preeclampsia

Eclampsia HELLP syndrome Unknown

COMPLICATIONS OF PREGNANCY, NOT INCLUDING HYPERTENSION OR DIABETES: (Select All That Apply)

Complications of Pregnancy, not including Hypertension or Diabetes: None Unknown

Complications of Pregnancy – Fetal:

Anomaly(ies) Isoimmunization/Alloimmunization

Intrauterine Growth Restriction (IUGR)

Oligohydramnios Polyhydramnios Other

Labour/Birth Encounter

Complications of Pregnancy - Maternal:

- Anemia unresponsive to therapy
- Antepartum bleeding (persistent and unexplained)
- Cancer – diagnosed in this pregnancy
- Haematology – Gestational Thrombocytopenia
- Hyperemesis Gravidarum (Requiring Hospital Admission)
- Liver/Gallbladder – Intrahepatic Cholestasis of Pregnancy
- Liver/Gallbladder – Acute Fatty Liver of Pregnancy
- Neurology – Epilepsy/Seizures – Seizure occurred during current pregnancy
- Prelabour rupture of membranes (PROM)
- Preterm labour
- Preterm pre-labour rupture of membranes (PPROM)
- Pulmonary – asthma occurred during current pregnancy
- Other

Complications of Pregnancy – Placental:

- Placenta accreta Placenta Increta Placenta percreta
- Placenta Previa Placental abruption Other

INTRAPARTUM TAB

Antenatal Steroids: *(Select One)*

- None 1 dose < 24 hours (before the time of birth)
- 2 doses: Last dose < 24 hours (before the birth)
- 2 doses: Last Dose > 24 hours (from the time of the last dose to the time of birth)
- Unknown

Fetal Surveillance: *(Select All That Apply)*

- Admission EFM Strip Auscultation
- Intrapartum EFM (external) Intrapartum EFM (internal)
- No Monitoring Unknown

Group B Strep Antibiotics: *(Select One)*

- Yes No Declined antibiotics Unknown

Initial cervical dilation (cm) upon hospital admission for labour and birth:

Labour/Birth Encounter

Type of Labour: *(Select One)*

- Active labour achieved without any intervention
- Induced labour in latent phase
- Induced labour prior to onset of contractions (“cold induction”)
- No labour or latent phase

Cervical ripening/induction methods: *(Select All That Apply)*

- None Prostaglandin (PGE2)
- Mechanical (Foley catheter) Laminaria tents
- Misoprostol (PGE1) Other Unknown

Was oxytocin used any time before birth? Yes No

Cervical dilation at start of oxytocin: _____

Start date of oxytocin: _____

Start time of oxytocin: _____ Unknown

Membrane Rupture: *(Select One)*

- Artificial rupture of membranes
- Spontaneous rupture of membranes Unknown

Date of Membrane Rupture: _____

Time of Membrane Rupture: _____

STAGES OF LABOUR

First Stage

Date of latent phase onset: _____

Time of latent phase onset: _____

Unknown

Date of active phase onset: _____

Time of active phase onset: _____

Unknown

Second Stage

Date fully dilated: _____

Time fully dilated: _____

Unknown

Date started pushing: _____

Time started pushing: _____

Unknown

Labour/Birth Encounter

IF INDUCED LABOUR:

All Indications for Induction of Labour: (Select All That Apply)

Fetal Indications:

- Atypical or abnormal fetal surveillance
- Fetal anomaly/ies Intrauterine Fetal Death (IUFD)
- Isoimmunization/alloimmunization IUGR Macrosomia
- Multiple gestation Other fetal complication Post dates
- Termination of pregnancy

Maternal Indications:

- Abnormal Biomarkers (eg. PAPP_A, PIGF, and HCG)
- Cholestasis of Pregnancy
- Diabetes Elevated BMI
- Hx of Precipitous Birth
- Hx of Previous of Intrauterine Fetal Death
- In-vitro fertilization (IVF) Oligohydramnios
- Other obstetrical complications/concerns
- Polyhydramnios Preeclampsia/Hypertension
- Pre-existing maternal medical conditions
- Pregnant individual age ≥ 40
- Pre-labour rupture of membranes (PROM)
- Preterm Pre-labor rupture of membranes (PPROM)
- Prolonged Latent Phase Labour

Other Indications:

- Accommodates care provider/organization
- Distance from birth hospital/safety precaution
- Maternal request Unknown

Primary Indication for Induction of Labour: _____

Bishop Score: *Circle*

0 1 2 3 4 5 6 7 8 9 10 11 12 13

Unknown

ALL LABOUR TYPES - SPONTANEOUS, INDUCED AND NO LABOUR

Maternal Outcome (prior to birth): *(Select One)*

- No Transfer Transfer to other organization
- Transfer to ICU/CCU
- Transfer to other non-obstetrical unit, same hospital
- Maternal Death—Not Related to Pregnancy or Birth
- Maternal Death—Related to Pregnancy or Birth

*** If Transfer to Other Organization:**

Maternal Transfer to [hospital name]: _____

Labour/Birth Encounter

** If Transfer to Other Hospital, ICU/CCU, or Other Non-Obstetrical Unit, same hospital:*

Reason for Maternal Transfer: *(Select One)*

- Fetal Health Concern
- Lack of Nursing Coverage
- Lack of Physician Coverage
- Maternal medical/obstetrical problem
- No beds available
- Organization evacuation
- Other
- Unknown

Maternal Transfer Date: dd / mm / yyyy

Maternal Transfer Time: _____

** If Transferred:*

Pharmacologic Pain Management: *(Select All That Apply)*

- None
- Nitrous oxide
- Opioids
- Epidural
- Spinal
- Spinal-epidural combination
- Pudendal
- Unknown

Labour and Birth Complications: *(Select All That Apply)*

- None
- Atypical or abnormal fetal surveillance
- Meconium
- Cord prolapse
- Shoulder dystocia
- Fever > 38.5 C
- Non-progressive first stage of labour
- Non-progressive second stage of labour
- Placental abruption
- Uterine rupture
- Uterine dehiscence
- Retained placenta-manual removal
- Retained placenta-surgical removal
- Postpartum hemorrhage
- Uterine atony
- Perineal hematoma
- Amniotic fluid embolism
- Pulmonary embolism
- Hysterectomy
- Other
- Unknown

BIRTH TAB

Type of Birth: *(Select One)* Vaginal Birth Cesarean Birth

PRESENTATION TYPE *(Select One)*

Cephalic: Vertex Brow Face
 Compound Cephalic type unknown

Breech: Frank Complete Incomplete
 Footling Compound Breech type unknown

Other: Transverse/Malpresentation Unknown

Newborn DOB: dd / mm / yyyy

Time of birth: _____

Forceps/Vacuum used vaginally: *(Select One)* None

Vacuum Forceps Vacuum and Forceps Unknown

Episiotomy: *(Select One)*

None Medio-lateral Midline Unknown

Perineal Laceration: *(Select All That Apply)* None

1st degree 2nd degree 3rd degree 4th degree
 Cervical tear Other Unknown

Labour/Birth Encounter

- Birth Location:** *(Select One)* Hospital Home
 Birth Centre Clinic (Midwifery) Nursing Station
 Other Ontario location Outside of Ontario

Birth Hospital name: _____

Date placenta delivered: dd / mm / yyyy

Time placenta delivered: _____

IF CESAREAN BIRTH:

Type of Cesarean birth: *(Select One)*

- Planned (as scheduled) Planned (not as scheduled)
 Unplanned

Dilation at Cesarean Birth (cm): _____

Anesthesia for Cesarean birth: *(Select One)*

- Epidural Spinal Spinal-Epidural Combination
 General Other Unknown

ALL INDICATIONS FOR CESAREAN BIRTH:

(Select All That Apply)

- Fetal:** Anomaly(ies)
 Atypical or Abnormal Fetal Surveillance Cord prolapse
 Intrauterine Growth Restriction (IUGR) Macrosomia
 Malposition/Malpresentation Other Fetal Indication

- Maternal:** Cholestasis of pregnancy
 Failed forceps/vacuum Failed induction
 Gestational hypertensio
 HIV – Human immunodeficiency Virus
 HSV – Herpes Simplex Virus
 Hypertensive Disorders of Pregnancy – Eclampsia
 HELLP Preeclampsia Maternal Health condition(s)
 Multiple gestation Non–progressive first stage of labour
 Non–progressive second stage of labour Obesity
 Other Obstetrical complication
 Placenta Increta/Acreta/Percreta Placenta previa
 Placental abruption
 Prelabor rupture of membranes (PROM) in pregnant individuals with a planned cesarean birth
 Preterm pre-labor rupture of membranes (PPROM) in pregnant individuals with a planned cesarean birth
 Previous cesarean birth
 Previous T incision/classical incision/uterine surgery
 Previous uterine rupture Suspected chorioamnionitis
 Uterine rupture Declined VBAC VBAC – Failed Attempt
 VBAC – Not Eligible

- Other:** Accommodates care provider/organization
 Maternal request Unknown

Labour/Birth Encounter

Primary indication for Cesarean birth: _____

Labour and/or Birth Complications: *(Select All That Apply)*

- None
- Atypical or abnormal fetal surveillance Meconium
- Cord prolapse Shoulder dystocia Fever > 38.5 C
- Non-progressive first stage of labour
- Non-progressive second stage of labour
- Placental abruption Uterine rupture
- Uterine dehiscence Retained placenta-manual removal
- Retained placenta-surgical removal
- Postpartum hemorrhage Uterine atony
- Perineal hematoma Amniotic fluid embolism
- Pulmonary embolism Hysterectomy Other Unknown

Intrapartum Medications Administered: *(Select All That Apply)*

- None
- Magnesium Sulfate for preeclampsia
- Magnesium Sulfate for fetal neuroprotection
- Antibiotics (not for GBS) Antihypertensives
- Anti-emetics Antipyretics (example: acetaminophen)
- Diuretics Insulin
- Tocolytics (Mag sulfate/indomethecine/nifedipine/ritodrine etc)
- Other Unknown

Pharmacologic Pain Management: *(Select All That Apply)*

- None
- Nitrous oxide Opioids Epidural Spinal
- Spinal-epidural combination Pudendal Unknown

Supportive Care: *(Select All That Apply)*

- None
- 1:1 Supportive care by clinical staff/care provider
- Breathing exercises Hypnobirthing/guided imagery
- Massage Shower Sterile water/saline injections
- Support partner or doula TENS Tub Other
- Unknown

Healthcare Provider Who Caught/Delivered Baby: *(Select One)*

- Family Physician Registered Midwife Obstetrician
- Resident Surgeon Registered Nurse
- Nurse Practitioner (CNS/NP) Aboriginal Midwife
- Midwifery Student Unattended (None)
- Other Health Care Provider Unknown

ID of Healthcare Provider Attending Birth: *(Optional Field)*

Labour/Birth Encounter

Other Care Providers Present at time of Labour and/or Birth: *(Select All That Apply)*

- Family Physician Obstetrician
- Surgeon Registered Midwife Resident
- Anesthesiologist Midwifery Student
- Aboriginal Midwife Registered Nurse Nursing Student
- Medical Student Pediatrician
- Neonatologist Respiratory Therapist
- Clinical Nurse Specialist/Nurse Practitioner Doula
- Other Care Provider None Unknown

OUTCOME TAB

Pregnancy Outcome (Complete for each fetus if multiple pregnancy): *(Select One)*

- Live birth
- Stillbirth ≥ 20 wks or ≥ 500 gms – Spontaneous - occurred during antepartum period
- Stillbirth ≥ 20 wks or ≥ 500 gms – Spontaneous - occurred during intrapartum period
- Stillbirth ≥ 20 wks or ≥ 500 gms /Termination
- Pregnancy loss < 20 wks and < 500 gms/Spontaneous miscarriage
- Pregnancy loss < 20 wks and < 500 gms/Termination

Gestational age at birth: Auto-calculates

Maternal Birth Outcome: *(Select One)*

- No Transfer Transfer to other organization
- Transfer to ICU/CCU
- Transfer to other non-obstetrical unit, same hospital
- Maternal Death—Not Related to Pregnancy or Birth
- Maternal Death—Related to Pregnancy or Birth

*IF TRANSFER TO OTHER HOSPITAL:

Maternal Transfer to [hospital name]:

*IF TRANSFER TO OTHER HOSPITAL, ICU/CCU, OR OTHER NON-OBSTETRICAL UNIT, SAME HOSPITAL:

Reason for Maternal Transfer To: *(Select One)*

- Fetal Health Concern Lack of Nursing Coverage
- Lack of Physician Coverage
- Maternal medical/obstetrical problem No beds available
- Organization evacuation Care Closer to Home
- Other Unknown

Maternal Transfer Date: dd / mm / yyyy

Maternal Transfer Time: _____ or

Maternal Discharge Date: dd / mm / yyyy

Discharge Time: _____